

FIG.1




FIG.2




FIG.3




FIG. 4






FIG.5




009060"4T495960

FIG.6



009060"449560

FIG.7



09556414-090600

FIG.8

Date: Tue, 16 Feb 1999 13:23:20 +0900 (JST)
From: Mail Delivery Subsystem <MAILER-DAEMON>
Subject: Return receipt
Message-Id: <199902160423.NAA01411@jupiter.abcdcdb.co.jp>
To: user-d@jupiter.abcdcdb.co.jp
MIME-Version: 1.0
Content-Type: multipart/report: report-type=delivery-status;
boundary="NAA01411.919139000/jupiter.abcdcdb.co.jp"
Auto-Submitted: auto-generated (return-receipt)
X-UIDL: d31657172d7ca5840c19c31b62722f0b
X-winbiff-received-account: jupiter
X-winbiff-flags: Seen

This is a MIME-encapsulated message

--NAA01411.919139000/jupiter.abcdcdb.co.jp
The original message was received at Tue, 16 Feb 1999 13:22:39+0900 (JST)
from jupiter.abcdcdb.co.jp [111.222.33.44]

---The following addresses had successful delivery notifications---
walk@jupiter (successfully delivered to mailbox)

-----Transcript of session follows-----

walk@jupiter. Successfully delivered

--NAA01411.919139000/jupiter.abcdcdb.co.jp
Content-Type: message/delivery-status
Reporting-MTA: dns; jupiter.abcdcdb.co.jp
Received-From-MTA: DNS; jupiter.abcdcdb.co.jp
Arrival-Date: Tue, 16 Feb 1999 13:22:39+0900 (JST)

Final-Recipient: RFC822; walk@jupiter
Action: delivered (to mailbox)
Status: 2.1.5
Last-Attempt-Date: Tue, 16 Feb 1999 13:23:20+0900 (JST)
X-Transmitted-NumberOfPage-To-Fax: 5
X-Charge-Information-To-Fax: ¥100

--NAA01411.919139000/jupiter.abcdcdb.co.jp

Content-Type: text/rfc822-headers

Return-Path: <user-d@jupiter.abcdcdb.co.jp>
Received: from host (jupiter.abcdcdb.co.jp [111.222.33.44])
by jupiter.abcdcdb.co.jp (8.9.1/3.7Wjupiter sendmail.cf v8) with ESMTP id NAA01410
for walk@jupiter. Tue. 16 Feb 1999 13:22:39+0900 (JST)
Date: Tue, 16 Feb 1999 13:22:39+0900 (JST)
From: user-d <user-d@jupiter.abcdcdb.co.jp>
Message-Id: <199902160422.NAA01410@jupiter.abcdcdb.co.jp>

--NAA01411.919139000/jupiter.abcdcdb.co.jp

DSN (DELIVERED) MAIL

09060414-090600

FIG.9

Date: Tue, 16 Feb 1999 13:25:03 +0900 (JST)
From: Mail Delivery Subsystem <MAILER-DAEMON>
Subject: Returned mail: User unknown
Message-Id: <199902160425.NAA01419@jupiter.abcdcdb.co.jp>
To: user-d@jupiter.abcdcdb.co.jp
MIME-Version: 1.0
Content-Type: multipart/report; report-type=delivery-status;
boundary="NAA01419.919139103/jupiter.abcdcdb.co.jp"
Auto-Submitted: auto-generated(failure)
X-UIDL: cb1b4451b3b95d56bbc67dc7c462c33d
X-winbiff-received-account: jupiter
X-winbiff-flags: Seen

This is a MIME-encapsulated message

--NAA01419.919139103/jupiter.abcdcdb.co.jp
The original message was received at Tue, 16 Feb 1999 13:23:47+0900 (JST)
from jupiter.abcdcdb.co.jp [111.222.33.44]

-----The following addresses had permanent fatal errors-----
abc@abcdcda.co.jp

-----Transcript of session follows-----
..while talking to dsp2.abcdcda.co.jp.:
>>> RCPT To:<abc@abcdcda.co.jp>
<<<550<abc@abcdcda.co.jp>..User unknown
550 abc@abcdcda.co.jp.. User unknown

--NAA01419.919139103/jupiter.abcdcdb.co.jp
Content--Type:message/delivery-status

Reporting--MTA:dns; jupiter.abcdcdb.co.jp
Received-From-MTA: DNS; jupiter.abcdcdb.co.jp
Arrival-Date: Tue, 16 Feb 1999 13:23:47+0900(JST)

Final-Recipient: RFC822; abc@abcdcda.co.jp
Action: failed
Status: 5.1.1
Remote-MTA: DNS: dsp2.abcdcda.co.jp
Diagnostic-Code: SMTP; 550 <abc@abcdcda.co.jp>..User unknown
Last-Attempt-Date: Tue, 16 Feb 1999 13:25:03+0900 (JST)

--NAA01419.919139103/jupiter.abcdcdb.co.jp
Content-Type: message/rfc822

ATTACHED MESSAGE

--NAA01419.919139103/jupiter.abcdcdb.co.jp

DSN (FAILED) MAIL

09656414.090600

FIG.10A

Date: Tue, 16 Feb 1999 13:41:13+0900
From: user-d@abcddcba.co.jp
Message-ID: <36C8F6E9.39C6DC2F@abcddcba.co.jp>
Subject: Return Receipt (displayed)-test
To: user-d@jupiter.abcdcdb.co.jp
References: <19990216134143N.user-d@abcddcba.co.jp>
MIME-Version: 1.0
Content-Type: multipart/report: report-type=disposition-notification;
boundary="-----mdn97D5884EAE879BD0C9F642A9"
X-UIDL: c56bf5fb9c1b735902cfb990613c74d1
X-winbiff-received-account:jupiter
X-winbiff-flags:Seen

-----mdn97D5884EAE879BD0C9F642A9
Content-Type: text/plain; charset=iso-2022-jp
Content-Transfer-Encoding: 7bit

This is a Return Receipt for the mail that you sent to
user-d@abcddcba.co.jp.

Note: this Return Receipt only acknowledges that the message was
displayed on the recipient's machine. There is no guarantee that the
content has been read or understood.

-----mdn97D5884EAE879BD0C9F642A9
Content-Type: message/disposition-notification; name="MDNPart2.txt"
Content-Disposition: inline
Content-Transfer-Encoding: 7bit

Reporting-UA: tulip.abcddcba.co.jp; Mozilla 4.5 [ja] (Win95;1)
Final-Recipient: rfc822; user-d@abcddcba.co.jp
Original-Message-ID: <19990216134143N.user-d@abcddcba.co.jp>
Disposition: manual-action/MDN-sent-manually; displayed
X-Transmitted-NumberOfPage-To-Fax: 5
X-Charge-Information-To-Fax: ¥100

===== (CONTINUED) =====

MDN (DISPLAYED) MAIL

FIG.10B

===== (CONTINUED) =====

-----mdn97D5884EAE879BD0C9F642A9
Content-Type: text/rfc822-headers; name="MDNPart3.txt"
Content-Transfer-Encoding: 7bit
Content-Disposition: inline

Received: from lily.abcdcdba.co.jp(lily.abcdcdba.co.jp
[111.222.33.55])
by jupiter.abcdcdb.co.jp (8.9.1/3.7Wjupiter sendmail-cf v8) with
SMTP id NAA01448
for <nwm@jupiter.abcdcdb.co.jp>; Tue, 16 Feb 1999 13:44:04+0900
(JST)

Received: from localhost by lily-abcdcdba.co.jp
(5.67+1.6W/2.8Wb-91Jan07)
id AA01425; Tue, 16 Feb 99 13:41:44 JST

To: nwm@jupiter.abcdcdb.co.jp
Subject: test

Disposition-Notification-To: user-d@jupiter.abcdcdb.co.jp
X-Mailer: Mew version 1.93 on Emacs 19.28 / Mule 2.3 (SUETSUMUHANA)
Mime-Version: 1.0


Content-Type: Text/Plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-Id: <19990216134143N.user-d(@abcdcdba.co.jp>
Date: Tue, 16 Feb 1999 13:41:43+0900
From: user-d <user-d@abcdcdba.co.jp>
X-Dispatcher: input version 980905 (IM100)
Lines: 1
X-UIDL: 8614c297fa493494f978b1193317e40e

-----mdn97D5884EAE879BD0C9F642A9-

MDN (DISPLAYED) MAIL (CONTINUED)


009060"445960

FIG.11A




00906074-090600

FIG.11B



09554.14-090500

FIG.11C



095644-090600

FIG.12




FIG.13






FIG.14




09656414-090600

FIG.15A




009060 " 4-90600

FIG.15B



009060" 4495960

FIG.15C



009060" 4T495960

FIG.16A

RECEPTION ABILITY INFORMATION #1

RECEPTION ABILITY INFORMATION #m

(RECEPTION ABILITY TABLE)

FIG.16B

TELEPHONE NUMBER
RECEPTION ABILITY

(RECEPTION ABILITY INFORMATION)

FIG.17

Date: Tue, 16 Feb 1999 13:23:20+0900 (JST)
From: Mail Delivery Subsystem <MAILER-DAEMON>
Subject: Return receipt
Message-Id: <199902160423.NAA01411@jupiter.abcdcdba.co.jp>
To: user-d@jupiter.abcdcdba.co.jp
MIME-Version: 1.0
Content-Type: multipart/report: report-type=delivery-status;
boundary="NAA01411.919139000/jupiter.abcdcdba.hor.co.jp"
Auto-Submitted: auto-generated (return-receipt)

This is a MIME-encapsulated message

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp
The original message was received at Tue, 16 Feb 1999 13:22:39+0900(JST)
from jupiter.abcdcdba.hor.co.jp [111.222.33.44]

---The following addresses had successful delivery notifications---
Fax=+81-3-9876-5432@jupiter.(Successfully dispatched)

-----Transcript of session follows-----
Fax=+81-3-9876-5432@jupiter...Successfully dispatched

--NAA01411.919139000/jupiter.abcdcdba.co.jp
Content-Type: message/delivery-status

Reporting--MTA:dns; jupiter.abcdcdba.hor.co.jp
Received-From-MTA: DNS: jupiter.abcdcdba.hor.co.jp
Arrival-Date; Tue, 16 Feb 1999 13:22:39+0900(JST)

Final-Recipient: RFC822; Fax=+81-3-9876-5432@jupiter
Action:dispatched
Status: 2.0.0

Last-Attempt-Date:Tue, 16 Feb 1999 13:23:20+0900(JST)
Media-Accept-Features: (& (color-Binary)(image-file-structure=[TIFF-S])
(| (& (dpi=200) (dpi-xratio=200/100)) (& (dpi=200)(dpi-xratio=1))))
(image-coding=[MII,MR,MMR])(MRC-mode=0)(paper-size=[A4,B4]))

X-G3Fax-JM: V.34,V.17,V.29,V.27ter
X-G3Fax-INTERNET: T.37 simple mode
X-G3Fax-CSA: kilo@medaka.pole.co.jp
X-G3Fax-NSF: 000000004176ca8c7b99038ccf3aa3231488776f5ccb

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp
Content-Type: text/rfc822-headers

Return-Path: <user-d@jupiter.abcdcdba.hor.co.jp>
Received: from host (jupiter.abcdcdba.hor.co.jp [111.222.33.44])
by jupiter.abcdcdba.hor.co.jp (8.9.1/3.7Wjupiter sendmail-cf v8) with ESMTP id NAA01410
for Fax=+81-3-9876-5432@jupiter, Tue, 16 Feb 1999 13:22:39+0900 (JST)
Date: Tue, 16 Feb 1999 13:22:39+0900 (JST)
From: Full Name <user-d@jupiter.abcdcdba.hor.co.jp>
Message-Id: <199902160422.NAA01410@jupiter.abcdcdba.hor.co.jp>

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp-----

DSN MAIL (WITH RECEPTION ABILITY)

009060"47495960

FIG.18

Date: Tue, 16 Feb 1999 13:41:13+0900
From: Fax-Gateway@jupiter.abcdcdcb.hor.co.jp
Message-ID: <36C8F6E9.39C6DC2F@jupiter.abcdcdcb.hor.co.jp>
Subject: Return Receipt (dispatched)-test
To: user-d@jupiter.abcdcdcb.hor.co.jp
References: <19990216134143N.user-d@mie.hor.co.jp>
MIME-Version: 1.0
Content-Type: multipart/report; report-type=disposition-notification;
boundary="-----mdn97D5884EAE879BD0C9F642A9"

-----mdn97D5884EAE879BD0C9F642A9
Content-Type: text/plain; charset=iso-2022-jp
Content-Transfer-Encoding: 7bit

This is a Return Receipt for the mail that you sent to
user-d@jupiter.abcdcdcb.hor.co.jp.

Note: this Return Receipt only acknowledges that the message was
sent to the recipient's machine. There is no guarantee th at the
content has been read or understood.

-----mdn97D5884EAE879BD0C9F642A9
Content-Type: message/disposition-notification;
Content-Disposition: inline
Content-Transfer-Encoding: 7bit

Reporting-UA: jupiter.abcdcdcb.hor.co.jp; Jupiter.Gateway
Final-Recipient: RFC822; Fax=+81-3-9876-5432@jupiter
Original-Message-ID: <19990216134143N.user-d@jupiter.abcdcdcb.hor.co.jp>
Disposition: manual-action/MDN-sent-manually: dispatched
Media-Accept-Features: (& (color=Binary)(image-file-structure=[TIFF-S])
(| & (dpi=200) (dpi-xratio=200/100)) (& (dpi=200) (dpi-xratio=1)))
(image-coding=[MH,MR,MMR])(MRC-mode=0) (paper-size=[A4,B4]))
X-G3Fax-JM: V.34,V.17,V.29,V.27ter
X-G3Fax-INTERNET: T.37 simple mode
X-G3Fax-CSA: naka@medaka.pole.co.jp
X-G3Fax-NSF: 000000004f76ca8c7b99038ccf3aa.3231488776f5ccb

-----mdn97D5884EAE879BD0C9F642A9
Content-Type: text/rfc822-headers;
Content-Transfer-Encoding: 7bit
Content-Disposition: inline


Received: from lily abcdcdcb.hor.co.jp (jupiter.abcdcdcb.hor.co.jp[111.222.33.55])
by jupiter.abcdcdcb.hor.co.jp (8.9.1/3.7Wjupiter sendmail.cf v8) with SMTP id NAA01448
for <Fax=+81-3-9876-5432@jupiter.abcdcdcb.hor.co.jp>; Tue, 16 Feb 1999 13:44:04+0900(JST)
Received: from localhost by jupiter.abcdcdcb.hor.co.jp (8.9.1/3.7Wjupiter sendmail.cf v8)
id AA01425; Tue, 16 Feb 99 13:41:44 JST
To: Fax=+81-3-9876-5432@jupiter.abcdcdcb.hor.co.jp
Subject: test
Disposition-Notification-To: user-d@jupiter.abcdcdcb.hor.co.jp
Message-Id: <19990216134143N.user-d@jupiter.abcdcdcb.hor.co.jp>
Date: Tue, 16 Feb 1999 13:41:43+0900
From: Hiroshi User-d <user-d@jupiter.abcdcdcb.hor.co.jp>

-----mdn97D5884EAE879BD0C9F642A9-----

MDN MAIL (WITH RECEPTION ABILITY)


009060"47495960

FIG.19A




009060" 4T495960

FIG.19B



009060 " 4T495960 09656414 " 090600

FIG.19C



009060" 4T495960

FIG.20A





FIG.20B



009060"4T49560

0955414 090600

FIG.20C




FIG.21

Date: Tue, 16 Feb 1999 13:23:20 +0900 (JST)
From: Mail Delivery Subsystem <MAILER-DAEMON>
Subject: Return receipt
Message-Id: <199902160423.NAA01411@jupiter.mie.hor.co.jp>
To: user-d@jupiter.abcdcdbahor.co.jp
MIME-Version: 1.0
Content-Type: multipart/report; report-type=delivery-status;
boundary="NAA01411.919139000/jupiter.abcdcdba.co.jp"
Auto-Submitted: auto-generated(return-receipt)

--NAA01411.919139000/jupiter.abcdcdba.co.jp

Fax=046-999-9999@jupiter (successfully relayed to fax)

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp
Content-Type: message/delivery-status

Reporting-MTA: dns;server abcdcdba.hor.co.jp
Received-From-MTA: DNS; server.abcdcdba.hor.co.jp
Arrival-Date: Tue, 16 Feb 1999 13:22:39+0900(JST)

Final-Recipient:RFC822; MAILER-DAEMON@abcdcdba.hor.co.jp
Action:relayed
Status: 2.0.0

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp----

DSN (RELAYED) MAIL

FIG.22

Date: Tue, 16 Feb 1999 13:41:13+0900
From: Mail Delivery Subsystem <MAILER-DAEMON>
Message-ID: <36C8F6E9.39C6DC2F@abcddcba.hor.co.jp>
Subject: Return Receipt
To: user-d@jupiter.abcddcba.hor.co.jp
References: <19990216134143N.user-d@abcddcba.hor.co.jp>
MIME-Version: 1.0
Content-Type: multipart/report; report-type=disposition-notification;
 boundary="-----mdn97D5884EAE879BD0C9F642A9"

-----mdn97D5884EAE879BD0C9F642A9
Content-Type: text/plain; charset=iso-2022-jp
Content-Transfer-Encoding: 7bit

FAX=046-999-9999@abcddcba.hor.co.jp (successfully dispatched to fax)

-----mdn97D5884EAE879BD0C9F642A9
Content-Type: message/disposition-notification;
Content-Disposition: inline
Content-Transfer-Encoding: 7bit

Reporting-UA: server.abcddcba.hor.co.jp;
Final-Recipient: rfc822; MAILER-DAEMON@abcddcba.hor.co.jp
Original-Message-ID: <19990216134143N.user-d@abcddcba.hor.co.jp>
Disposition: manual-action/MDN-sent-manually; dispatched

-----mdn97D5884EAE879BD0C9F642A9--

MDN (DISPATCHED) MAIL

009060"4T495960

FIG.23

Date: Tue. 16 Feb 1999 13:23:20 +0900 (JST)
From: Mail Delivery Subsystem <MAILER-DAEMON>
Subject: Return receipt
Message-ID: <199902160423.NAA01411@jupiter.abcdcdba.hor.co.jp>
To: user-d@jupiter.abcdcdba.hor.co.jp
MIME-Version: 1.0
Content-Type: multipart/report; report-type=delivery-status;
 boundary="NAA01411.919139000/jupiter.abcdcdba.hor.co.jp"
Auto-Submitted: auto-generated (return-receipt)

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp

FAX=046-999-9999(G3fax-signal MCFs was responded for the whole pages.)

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp
Content-Type: message/delivery-status

Reporting-MTA: dns; server.abcdcdba.hor.co.jp
Received-From-MTA: DNS; jupiter.abcdcdba.hor.co.jp
Arrival-Date: Tue, 16 Feb 1999 13:22:39f0900 (JST)

Final-Recipient: RFC822; Fax=046-999-9999@jupiter
Action: delivered
Status: 2.0.0

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp----

DSN (DELIVERED) MAIL

009060" 47495960

FIG.24

Date: Tue, 16 Feb 1999 13:41:13+0900
From: Mail Delivery Subsystem <MAILER-DAEMON>
Message-ID: <36C8F6E9.39C6DC2F@abcddcba.hor.co.jp>
Subject: Return Receipt
To: user-d@jupiter.abcddcba.hor.co.jp
References: <19990216134143N.user-d@abcddcba.hor.co.jp>
MIME-Version: 1.0
Content-Type: multipart/report; report-type=disposition-notification;
boundary="-----mdn97D5884EAE879BD0C9F642A9"

-----mdn97D5884EAE879BD0C9F642A9

Content-Type: text/plain; charset=iso-2022-jp
Content-Transfer-Encoding: 7bit

FAX=046-999-9999(G3fax-signal MCFs was responded for the whole pages.)

-----mdn97D5884EAE879BD0C9F642A9

Content-Type: message/disposition-notification
Content-Disposition: inline
Content-Transfer-Encoding: 7bit

Reporting-UA: server.abcddcba.hor.co.jp;
Final-Recipient: rfc822; Fax=046-999-9999@jupiter
Original-Message-ID: <19990216134143N.user-d@abcddcba.hor.co.jp>
Disposition: manual-action/MDN-sent-manually; dispatched

-----mdn97D5884EAE879BD0C9F642A9--

MDN (DISPLAYED) MAIL

009060"44"090600

FIG.25

Date: Tue, 16 Feb 1999 13:25:03 +0900 (JST)
From: Mail Delivery Subsystem <MAILER-DAEMON>
Subject: Return receipt
Message-ID: <199902160425.NAA01419@jupiter.mie.hor.co.jp>
To: user-d@jupiter.abcdcdcb.hor.co.jp
MIME-Version: 1.0
Content-Type: multipart/report; report-type=delivery-status;
 boundary="NAA01419.919139103/jupiter.abcdcdcb.hor.co.jp"
Auto-Submitted: auto-generated (failure)

--NAA01419.919139103/jupiter.abcdcdcb.hor.co.jp

FAX=046-999-9999(G3fax-signal MCFs was not responded for some pages.)

--NAA01419.919139103/jupiter.abcdcdcb.hor.co.jp
Content-Type: message/delivery-status

Reporting-MTA: dns; server.abcdcdcb.hor.co.jp
Received-From-MTA: DNS; jupiter.abcdcdcb.hor.co.jp
Arrival-Date: Tue, 16 Feb 1999 13:23:47f0900 (JST)

Final-Recipient: RFC822; Fax=046-999-9999@jupiter
Action: failed
Status: 5.0.0
Remote-MTA: DNS; server.abcdcdcb.hor.co.jp
Diagnostic-Code: SMTP; 554 Transaction failed <Fax=046-999-9999>

--NAA01419.919139103/jupiter.abcdcdcb.hor.co.jp--

DSN (FAILED) MAIL

FIG.26

Date: Tue. 16 Feb 1999 13:25:03+0900 (JST)
From: Mail Delivery Subsystem <MAILER-DAEMON>
Subject: Return Receipt
Message-Id: <199902160425.NAA01419@jupiter.abcdcdcbahor.co.jp>
To: user-d@jupiter.abcdcdcbahor.co.jp
MIME-Version: 1.0
Content-Type: multipart/report; report-type=delivery-status;
 boundary="NAA01419.919139103/jupiter.abcdcdcbahor.co.jp"
Auto-Submitted: auto-generated (failure)

--NAA01419.919139103/jupiter.abcdcdcbahor.co.jp

FAX=046-999-9999(G3fax-signal MCFs was not responded for some pages.)

--NAA01419.919139103/jupiter.abcdcdcbahor.co.jp
Content-Type: message/delivery-status

Reporting-MTA: dns; server.abcdcdcbahor.co.jp
Received-From-MTA: DNS; jupiter.abcdcdcbahor.co.jp
Arrival-Date: Tue, 16 Feb 1999 13:23:47+0900 (JST)


Final-Recipient: RFC822; Fax=046-999-9999@jupiter
Action: failed
Status: 5.0.0
Remote-MTA: DNS; server.abcdcdcbahor.co.jp
Diagnostic-Code: SMTP; 554 Transaction failed <Fax=046-999-9999>

--NAA01419.919139103/jupiter.abcdcdcbahor.co.jp--

MDN (FAILED) MAIL


009060"44"090600

FIG.27A




009060"4495960

FIG.27B




009060-4495960

FIG.28A




009050" 4495960

FIG.28B



009060"47495960

FIG.28C



009060"4T495960